

Cylinder Size Guide

CYLINDER	TYPE/SIZE	HEIGHT	DIAMETER
CYLINDER SIZES MAY VARY DEPENDING ON MANUFACTURER			
Butane:	4.5kg	340mm	240mm
Butane:	6kg BBQ Gas	314mm	306mm
Butane:	7kg	495mm	256mm
Butane:	13kg	560mm	310mm
Butane:	15kg	580mm	318mm
Propane:	3.9kg	340mm	240mm
Propane:	5kg Patio Gas	314mm	306mm
Propane:	6kg	495mm	256mm
Propane:	9kg	460mm	315mm
Propane:	11kg	560mm	310mm
Propane:	12kg	560mm	310mm
Propane:	13kg Patio Gas	580mm	315mm
Propane:	13kg	580mm	315mm
Propane:	18kg	810mm	315mm
Propane:	19kg	810mm	315mm
Propane:	47kg	1290mm	375mm
Carbon Dioxide:	VB/LB – 22kg	500mm	140mm
Carbon Dioxide:	LR/VR – 44kg	870mm	200mm
Carbon Dioxide:	VK/LK – 99kg	1500mm	230mm
Carbon Dioxide:	7lb	500mm	150mm
Carbon Dioxide:	14lb	850mm	150mm

CYLINDER	TYPE/SIZE	HEIGHT	DIAMETER
Carbon Dioxide:	28lb	900mm	200mm
Carbon Dioxide Mixtures	50L / Size L	1540mm	230mm
Acetylene:	K – 8kg	340mm	170mm
Acetylene:	M – 15kg	570mm	170mm
Acetylene:	J – 31kg	710mm	200mm
Acetylene:	D – 59kg	1050mm	210mm
Acetylene:	F – 96kg	1200mm	260mm
Acetylene:	G – 97kg	1200mm	260mm
Acetylene:	H – 83kg	1120mm	290mm
Oxygen Integral Valve:	CD – 3.5kg	520mm	100mm
Oxygen Integral Valve:	ZD – 4.06kg	525mm	101mm
Oxygen Integral Valve:	HX – 14kg	930mm	140mm
Oxygen Integral Valve:	ZX – 14kg	930mm	143mm
Oxygen Integral Valve:	ZH (2) – 14kg	595mm	175mm
Oxygen Integral Valve:	DF (2) – 12kg	690mm	175mm
Oxygen Integral Valve:	ZA – 1.75kg	390mm	85mm
Oxygen Integral Valve:	ZB – 2.7kg	390mm	85mm
Oxygen Integral Valve:	ZC (2) – 2.7kg	390mm	85mm
Oxygen Integral Valve:	AD (1) – 4kg	480mm	100mm
Oxygen Integral Valve:	DD (2) – 3.5kg	520mm	100mm
Oxygen Standard Valve:	AZ – 2.5kg	290mm	106mm
Oxygen Standard Valve:	C – 2.5kg	430mm	89mm
Oxygen Standard Valve:	D – 3.9kg	535mm	102mm

CYLINDER	TYPE/SIZE	HEIGHT	DIAMETER
Oxygen Standard Valve:	E – 6.5kg	865mm	102mm
Oxygen Standard Valve:	J – 78kg	1320mm	229mm
Oxygen Standard Valve:	AF (2) – 12kg	670mm	175mm
Oxygen Standard Valve:	F – 17kg	930mm	140mm
Oxygen Standard Valve:	G – 39kg	1320mm	178mm